

Davidson Traffic Control Products

O-Frame Barricades NCHRP 350 hwort **Parade Style Barricades** FHWA Accepted WZ-180 & WZ-180A Traditional Type I ADA-Style Type II **Type I & II Barricades** Traditional Type II



"Creating Products to Save Lives"



Innovative "O-Frame" Barricade Meets MUTCD Requirements

You have never seen anything quite like our O-Frame Barricade Leg! It is far superior to traditional A-frame barricades! Besides cordoning off crowds at events and parades, it has many other distinct advantages like MUTCD compliance, exceptional strength, and a unique feature for customized branding!

Innovative O-Frame Leg

- Molded nubbins for stacking also stabilize barricade light
- Solid injection molded leg stronger than blow molding
- Center slots have pinch points to lock in the boards
- Versatile Accommodates plastic or wood panels
 - 1 x 8" plastic panels
 - 2 x 8" plastic panels
 - 2 x 8" nominal lumber

The O-Frame Parade Style Barricade Features:

- Flexibility to convert to a Type I or Type II using the same components
- Flexibility to convert to ADAstyle Type II using the same components

- Impact-resistant and UV-stable thermoplastic for superior durability
- Engineered to conform to NCHRP 350 & 2009 MUTCD standards
- Panels have smooth surfaces to allow easy application of reflective tape
- Flexibility to use 1 x 8-inch or 2 x 8-inch barricade panels
- Panels available in 4, 6, 8, 10 and 12-foot standard lengths
- Rigid injection molded legs will not sag in the heat of the sun
- Barricade legs with molded-in holes for attachment of lights
- Barricade legs stack for easy transit & efficient storage
- Panels & legs available for purchase separately or together
- Choose from Engineer, High
 Intensity or Prismatic sheeting
- Panels can be factory-sheeted on one or both sides


3-Year Warranty

Pexco is the only manufacturer to offer a 3-year pro-rated warranty on our plastic barricade boards. The boards that support the most valuable portion of the barricade - the reflective sheeting - will not delaminate, break, splinter, rot, rust, crack or peel. And our warranty assures you of our quality and integrity!



Design complies with MUTCD

Specifications for O-Frame Barricades





Stacking lugs keep lights from rotating

Options & Applications for O-Frame Barricades

A Focus on Safety

The O-Frame barricade is an easy and convenient solution for any city or town setting up for special events, parade routes or for utility areas that need to be cordoned off. It is made of a durable, lightweight polymer that will not rot, rust, crack or peel. The O-Frame comes with either one or two barricade panels, with reflective sheeting available on one or both sides.




- Complies with 2009 MUTCD Section 6F.63 & 6F.74 Detectable Edging for Pedestrians
- O-Frame provides a continuous edge detectable by pedestrians using a long cane for guidance
- Bottom of the panel is less than 2.5" (62 mm) above ground
- Reduced trip hazard for pedestrians

Get Your Advertising Message In Front of Crowds with the O-Frame Insert for Branding

The O-Frame Insert attaches to the O-Frame barricade leg, and is ideal for advertising:

- · Local Sports Teams
- Municipal Departments
- Corporate Logos
- · Police & Fire Departments
- Advertising Your Business
- · Unlimited opportunities

- Round polycarbonate plate attaches to O-Frame legs
- Push through locking pins
 prevent theft
- Can be completely customized by your local graphics house
- Draw immediate attention to your logo or message
- Inserts are sold separately



Davidson Traffic Control Products



O-Frame Barricades

Parade Style Barricades

Two Sizes of Barricade Panels: 1 x 8" or 2 x 8"

- Made of durable U.V. stable polyethylene with internal reinforcing ribs
- Industry leading 3-year warranty against breakage & delamination
- Available in standard lengths of 4, 6, 8, 10 & 12 feet
- Custom sizes available upon request
- Plastic barricade boards can be ordered plain or sheeted on one side or both sides
- Sheeting options include: Engineer Grade, High Intensity Prismatic, and Diamond Grade


Barricades with High Intensity Work Zone Sheeting offer high performance reflectivity in the work zone

They are highly visible at night, even when placed at wide viewing angles to approaching traffic. They are durable and remain visible throughout their life cycle, providing an extra safety factor for drivers who depend on them for guidance.

Choosing factory-applied sheeting ready-to-use provides for а barricade backed by our 3-year warranty, providing you with assurance of the highest quality materials & workmanship.

The O-Frame has the durability and the versatility you demand of a Parade barricade! Made of durable high density polyethylene, the O-Frame is U.V. stabilized and designed to take severe abuse. Injection molded O-Frame legs are the most durable units available on the market, superior to blow-molded units which can crack and crush.


- 18 pound Rubber Ballast available
- T1B & T2B products are both **Recycled and Recyclable**



2" x 8" Parade Panel



Get FREE downloadable CAD drawings of our products from CAD Details at www.caddetails.com or contact us at www. hwysales@pexco.com



Scan

this code

YouTube

for our

video

6" Left



6" Right

ISO 9001- FM 565059 ISO 14001 - EMS 565061 OHSAS 18001 - OMS 565060



a leading manufacturer of recycled traffic control products

PEXCO

Davidson Traffic Control Products "Creating Products to Save Lives"

3110 70th Ave East • Tacoma, WA 98424 • (877) 335-4638 e-mail: hwysales@pexco.com · www.davidsontraffic.com

